


ROMA MINI

IF-700



400 in² COOKING AREA

RESIDENTIAL

LIGHT COMMERCIAL OVEN

INDOOR / OUTDOOR



UL - NSF / ANSI 4 (Sanitation)

SIGNATURE FEATURES

ONE FLAT COOKING SURFACE	400 SQ. INCHES COOKING AREA
GRADE 304 STAINLESS STEEL 0.075" / 14 GAUGE AND 430 POWDER COATED TOP	6" THICK CERAMIC FIBER BLANKET INSULATION
1.5" REFRACTORY STONE	8 -10 HOURS THERMAL MASS
WALL MOUNTED THERMOMETER	PRE-ASSEMBLED CART / STAND
FUEL TYPE-WOOD FIRED	1 YEAR WARRANTY
PASSIVE DIRECTIONAL VENTING CHIMINEY WITH DAMPER	2 – 10" PIZZA CAPACITY
GREAT FOR BAKING BREADS AND SLOW ROASTING MEATS	



ROMA MINI

IF-700

OVEN COUNTER-TOP INSTALLATION

COUNTER SPACE WIDTH MIN.	28"
COUNTER SPACE DEPTH MIN.	28"
OVEN HEIGHT FROM COUNTER TO TOP OF CHIMNEY	41.5"
COUNTER SHOULD SUPPORT OVEN WEIGHT	180+ LBS.

***CERAMIC FIBER INSULATION BOARD ¼" - ½" CAN BE CUT TO FIT THE BASE OF THE OVEN TO PROTECT YOUR COUNTER-TOP.

CLEARANCES COMBUSTIBLE / NON-COMBUSTIBLE CONSTRUCTION

COMBUSTIBLES SIDE OF OVEN	2"
COMBUSTIBLES BACK OF OVEN	2"
COMBUSTIBLES FRONT OF OVEN	36"
COMBUSTIBLES CHIMNEY CAP TO ROOF****	24"-36"
NON-COMBUSTIBLES SIDES OF OVEN	0"
NON-COMBUSTIBLES BACK OF OVEN	0"
NON-COMBUSTIBLES FRONT OF OVEN OPENING	36"
NON-COMBUSTIBLES CHIMNEY CAP TO ROOF ****	16"-24"

****CHECK WITH YOUR LOCAL BUILDING DEPARTMENT

****MAKE SURE THERE IS ADEQUATE VENTILATION IN THAT AREA, OTHERWISE USE A DOUBLE WALLED CHIMNEY EXTENTION TO GO THROUGH THE ROOF OR RE-ROUTE THE CHIMNEY TO CLEAR COMBUSTIBLES AND AVOID CARBON MONOXIDE POISONING.


OPTIONAL ACCESSORIES

OVEN STAND	ITEM # IF-700C
REPLACEMENT THERMOMETER	ITEM #IF-TMO
DOUBLE WALL CHIMNEY STARTER PIPE 4"	ITEM #RB-SHT4SS8
DOUBLE WALL CHIMNEY EXTENSION ADAPTER STRAIGHT PIPE 24"	ITEM #RB-SHT4SS24
DOUBLE WALLED CHIMNEY RAIN CAP WITH SPARK ARRESTOR	ITEM #RB-SHT4RC01
FIRE GUARD – LOG GUARD	ITEM #IFC330



ROMA MINI

IF-700




OVEN DIMENSIONS

A.	DOOR WIDTH	16"
B.	OVEN OUTSIDE WIDTH	28"
C.	OVEN OUTSIDE LENGTH	25"
D.	DOOR HEIGHT	7.75"
E.	OVEN OUTSIDE HEIGHT	17.5"
F.	CHIMNEY HEIGHT	27"
G.	CHIMNEY DIA.	4.5"
H.	OVERHANG LIP	3.75"



ROMA MINI

IF-700



STAND DIMENSIONS

1.	STAND HEIGHT (ADJUSTABLE)	30" - 42"
2.	STAND WIDTH	28.5"
3.	STAND DEPTH	26"
4.	WIDTH BETWEEN LEGS (FRONT)	27"
5.	WIDTH BETWEEN LEGS (SIDE)	19"
6.	HEIGHT BETWEEN STAND	16.5"
7.	LEGS HEIGHT	5.5"

