


MILANO

IF-7000



882 in² COOKING AREA

OUTDOOR

WOOD FIRED

GAS (OPTIONAL)

SIGNATURE FEATURES

▪ ONE FLAT COOKING SURFACE	▪ 882 SQ. INCHES COOKING AREA
▪ PRE-CAST DOME W/ STUCCO FINISH	▪ 8 -10 HOURS THERMAL MASS
▪ REFRACTORY INSULATION	▪ EASY ASSEMBLY CART / STAND
▪ FUEL TYPE-WOOD / GAS (OPTIONAL)	▪ 1 YEAR WARRANTY
▪ PASSIVE DIRECTIONAL VENTING CHIMNEY	▪ TRADITIONAL POMPEII DOME NEAPOLITAN OVEN
▪ SINGLE WALL CHIMNEY	▪ 3 – 12” PIZZA CAPACITY



MILANO

IF-7000

OVEN COUNTER-TOP INSTALLATION

COUNTER SPACE WIDTH MIN.	37.5"
COUNTER SPACE DEPTH MIN.	39"
OVEN HEIGHT FROM COUNTER TO TOP OF CHIMNEY	54"
COUNTER SHOULD SUPPORT OVEN WEIGHT	400+ LBS.

***CERAMIC FIBER INSULATION BOARD ¼" - ½" CAN BE CUT TO FIT THE BASE OF THE OVEN TO PROTECT YOUR COUNTER-TOP.

CLEARANCES COMBUSTIBLE / NON-COMBUSTIBLE CONSTRUCTION

COMBUSTIBLES SIDE OF OVEN	2"
COMBUSTIBLES BACK OF OVEN	2"
COMBUSTIBLES FRONT OF OVEN	36"
COMBUSTIBLES CHIMNEY CAP TO ROOF****	24"-36"
NON-COMBUSTIBLES SIDES OF OVEN	0"
NON-COMBUSTIBLES BACK OF OVEN	0"
NON-COMBUSTIBLES FRONT OF OVEN OPENING	36"
NON-COMBUSTIBLES CHIMNEY CAP TO ROOF ****	16"-24"


****CHECK WITH YOUR LOCAL BUILDING DEPARTMENT

****MAKE SURE THERE IS ADEQUATE VENTILATION IN THAT AREA, OTHERWISE USE A DOUBLE WALLED CHIMNEY EXTENTION TO GO THROUGH THE ROOF OR RE-ROUTE THE CHIMNEY TO CLEAR COMBUSTIBLES AND AVOID CARBON MONOXIDE POISONING.



MILANO

IF-7000



OVEN DIMENSIONS


A.	DOOR WIDTH	15"
B.	OVEN OUTSIDE WIDTH	37"
C.	OVEN OUTSIDE LENGTH	38.5"
D.	DOOR HEIGHT	9"
E.	OVEN OUTSIDE HEIGHT	23"
F.	CHIMNEY HEIGHT	24"
G.	CHIMNEY DIA.	6"
H.	INSIDE DIMENSIONS W X L X H	31.5" X 28" X 16"



MILANO

IF-7000

STAND: X (OPTIONAL)



STAND DIMENSIONS

1.	STAND HEIGHT	38"
2.	STAND WIDTH	42.5"
3.	STAND DEPTH	40.5"
4.	LEGS HEIGHT	5.5"
5.	WIDTH BETWEEN LEGS (FRONT)	33.5"
6.	WIDTH BETWEEN LEGS (SIDE)	24.25"
7.	INSIDE HEIGHT	28"



MILANO

IF-7000

STAND: MS (OPTIONAL)



STAND DIMENSIONS

- | | |
|--------------------------------|----------------------------|
| 1. STAND HEIGHT | 37.75" |
| 2. STAND WIDTH | 22.75" TOP / 34.25" BOTTOM |
| 3. STAND DEPTH | 21.5" TOP / 38.5" BOTTOM |
| 4. SHELF TO BOTTOM LEGS HEIGHT | 5.5" |



MILANO

IF-7000

GAS OPTIONS – UL CERTIFIED – ANSI Z21.17/CSA 2.7

- Natural Gas (NG): 52,445 BTU
- Propane Gas (LPG): 54,626 BTU

Gas Connection Pipe	½”
Countertop Cut-out diameter	4 ½” Diameter
Manual Spark	No Electrical Power Required
Flame / Air Mixture	Adjustable
Safety Thermocouple	Yes
Pilot Light	Yes
Manual Ignitor	Yes

